What areas does Multimedia touch

- Multimedia application touches on most of the fun components: games, movies etc. Multimedia require technologies from across CS, arts etc.
- Networks and Operating Systems: Media objects have real time constraints, objects are large
 - OS scheduling, storage system design, data block placement, network management, routing, security etc.
- Multimedia coding: Content analysis, retrieval, compression, processing and security
- Multimedia tools, end systems and applications: Hypermedia systems, user interfaces, authoring systems ...

Topics to be covered

- Most of the topics from the book, get people up to speed and then discuss recent work from papers.
- Focus on breadth rather than depth. There is way too much to cover as it is.



Grade distribution

Home work assignments: 7 x 8 pts

We will have seven written take home assignments (even two weeks)

Home work projects: 2 x 9 pts

We will have two projects to experiment with the technologies that we discuss. Projects are groups of two.

Mid term exams: 10 pts, Final Exams: 16 pts

- in class, open book/notes affair
- Minimal programming many of the low level components are quite hard to code.

Homework projects

Projects are group (ideally two) efforts.

- Each project should be electronically turned in with a succinct report on what you learned
- Maximal freedom in trying out ideas



Reevaluation policy

- Arithmetic errors, missed grading will be reevaluated promptly
- I encourage you to discuss concerns with your solution with me
- I discourage re-evaluation of partial credits (partial credits are based on the complexity of your solution and the overall class performance):
 - Football penalty policy:
 - If you think you deserve a better partial grade, write down the reason why you think that you deserve a better grade and how many extra points you think you deserve. If I agree, you could get up to this many extra points. If I disagree, you will lose this much points. You can increase your odds by performing experiments to prove your answer

Late policy

- None Projects/homework/critiques are due at 1:55 pm (right before the beginning of class). I do not accept late submissions (not even a second)
- Please contact me regarding <u>unforeseen</u> <u>emergencies</u>

Academic Honesty

- Freedom of information rule:
 - Collaboration is acceptable (even for individual efforts such as take home assignments as long as you follow the rules of this course)
 - To assure that all collaboration is on the level, you must always write the name(s) of your collaborators on your assignment. Failure to adequately acknowledge your contributors is at best a lapse of professional etiquette, and at worst it is plagiarism. Plagiarism is a form of cheating.

Academic Honesty – Gilligans Island Rule

This rule says that you are free to meet with fellow students(s) and discuss assignments with them. Writing on a board or shared piece of paper is acceptable during the meeting; however, you may not take any written (electronic or otherwise) **record away from the meeting**. This applies when the assignment is supposed to be an individual effort. After the meeting, engage in half hour of mind-numbing activity (like watching an episode of Gilligan's Island), before starting to work on the assignment. This will assure that you are able to reconstruct what you learned from the meeting, by yourself, using your own brain.


CSE 4/60373: Multimedia Systems

- Chapter 4: Color in Image and Video
 - Understand limitations of eye and displays in order to exploit them for better compression and display
- Chapter 3: Graphics and Image Data Representations

Human vision system

- Humans can see 300-700 nm electromagnetic radiation
- Eye has a bandwidth ~ 8.75 Mbps
- Bright light color vision, low light b&w vision
 - 6 million cones, RGB cones are in ratio 40:20:1
 - Eye perceives differences strong blue perception
 - Most sensitive to green
 - People prefer slightly reddish tint for human portraits
- Eyes cannot see high frequency (small changes)
 - Eyes cannot perceive color as well as brightness
- For eyes to see, the object must be illuminated or self-illuminating







Ø

Reproducing objects

- Each "display" device has its own quirks
- Monitors behave differently than print (dye based)
- For monitor: we want a linear response, instead the responce at lower levels is sluggish
 - Gamma corrections fixes this
 - RGB additive colors
 - For print: Cyan-Magenta-Yellow (subtractive color)









Gamma correction

- Different monitors have different Gammas
- NTSC performs gamma correction on the camera because TVs could not perform Gamma correction when NTSC was designed
 - NTSC 2.2, PAL/ SECAM - 2.8, MAC -1.8, PC - none



Color matching

- How can we compare colors?
- Many different ways including CIE chromacity diagram



4.2 Color Models in Images

 Colors models and spaces used for stored, displayed, and printed images.

RGB Color Model for CRT Displays

- We expect to be able to use 8 bits per color channel for color that is accurate enough.
- However, in fact we have to use about 12 bits per channel to avoid an aliasing effect in dark image areas — contour bands that result from gamma correction.
- For images produced from computer graphics, we store integers proportional to intensity in the frame buffer. So should have a gamma correction LUT between the frame buffer and the CRT.

sRGB color space

- Extremetities of the triangle define the primaries and lines describe the boundaries of what the display can show.
 D65 is a "white" point
- Each display different
- Out-of-gamut colors outside triangle




Table 4.1: Chromaticities and White Points of Monitor Specifications


		Red		Green		Blue		White Point		
	System	xr	yr	xg	уg	xb	yb	XW	уW	
1	NTSC	0.67	0.33	0.21	0.71	0.14	0.08	0.3101	0.3162	
	SMPTE	0.630	0.34 0	0.31 0	0.59 5	0.15 5	0.07 0	0.3127	0.3291	
	EBU	0.64	0.33	0.29	0.60	0.15	0.06	0.3127	0.3291	
-	1/16/0	9		18 CSE 40373/60373: Multimedia Systems					Li & Dre	


.


Monitor vs Film

- Monitor vs Film
- Digital cameras use monochromatic pixels and extrapolate
- Twice as much green pixels as eye is sensitive to green

GRGR BGBG











In conventional systems, color filters are applied to a single layer of photodetectors in a tiled mosaic pattern.

The filters let only one wavelength of lightred, green or blue - pass through to any given pixel, allowing it to record only one color.

As a result, mosaic sensors capture only 25% of the red and blue light, and just 50% of the green.

Foveon® X3[™] Capture






Since silicon absorbs different colors of

light at different depths, each layer

captures a different color. Stacked together, they create full-color pixels.





http://www.cirquedigital.com/howto/color_tutorial.htp

A Foveon® X3™ image sensor features

three separate layers of photodelectors


embedded in silicon.


4.3 Color Models in Video


Video Color Transforms


- Largely derived from older analog methods of coding color for TV. Luminance is separated from color information.
- YIQ is used to transmit TV signals in North America and Japan.This coding also makes its way into VHS video tape coding in these countries since video tape technologies also use YIQ.
- In Europe, video tape uses the PAL or SECAM codings, which are based on TV that uses a matrix transform called YUV.
- Finally, digital video mostly uses a matrix transform called YCbCr that is closely related to YUV

YUV (related to YCbCr)










1/16/09



br spaces

- RGB 8 bits per color
- YCbCr Y is the luminance component and Cb and Cr are Chroma components
- Human eye is not sensitive to color



Graphics/Image Data Representations

1 Bit Image (bitmaps) - use 1 bit per pixels

▶ 8 bit gray-level image





1/16/09

Images

- Bitmap: The two-dimensional array of pixel values that represents the graphics/image data.
- Image resolution refers to the number of pixels in a digital image (higher resolution always yields better quality)
 - Fairly high resolution for such an image might be 1600 x 1200, whereas lower resolution might be 640 x 480
- dithering is used to print: which trades intensity resolution for spatial resolution to provide ability to print multi-level images on 2-level (1-bit) printers
- TrueColor (24 bit image)




Fig. 3.4: Dithering of grayscale images.

(a): 8-bit grey image "lenagray.bmp". (b): Dithered version of the image. (c): Detail of dithered version.

8-bit color image

- Can show up to 256 colors
- Use color lookup table to map 256 of the 24-bit color (rather than choosing 256 colors equally spaced)
 - Back in the days, displays could only show 256 colors. If you use a LUT for all applications, then display looked uniformly bad. You can choose a table per application in which case application switch involved CLUT switch and so you can't see windows from other applications at all






24-bit Color Images

- In a color 24-bit image, each pixel is represented by three bytes, usually representing RGB.
 - This format supports 256 x 256 x 256 possible combined colors, or a total of 16,777,216 possible colors.
 - However such flexibility does result in a storage penalty: A 640 x 480 24-bit color image would require 921.6 kB of storage without any compression.
- An important point: many 24-bit color images are actually stored as 32-bit images, with the extra byte of data for each pixel used to store an alpha value representing special effect information (e.g., transparency)

Popular Image Formats

► GIF

- Lossless compression
- 8 bit images
- Can use standard LUT or custom LUT
- LZW compression




JPEG

Lossy compression of TrueColor Image (24 bit)

Human eye cannot see high frequency

- Transform from spatial to frequency domain using discrete cosine transformation (DCT) (fast fourier approximation)
- In frequency domain, use quantization table to drop high frequency components. The Q-table is scaled and divided image blocks. Choice of Q-table is an art. Based on lots of user studies. (lossy)
- Use entropy encoding Huffman encoding on Quantized bits (lossless)
- Reverse DCT to get original object
- Human eye cannot discern chroma information
 - Aggresively drop chroma components. Convert image from RGB to YCbCr. Drop Chroma using 4:2:0 subsampling


JPEG artifacts



1/16/09

CSE 40373/60373: Multimedia Systems

JPEG artifacts



1/16/09

CSE 40373/60373: Multimedia Systems

Other formats

- PNG
- ► TIFF
 - Container for JPEG or other compression
- JPEG is a compression technique, JFIF is the file format. A JPEG file is really JFIF file. TIFF is a file format.
- Postscript is a vector graphics language
 - Encapsulated PS adds some header info such as bounding box
- PDF is a container for PS, compression and other goodies

Summary

- Multimedia technologies use the limitations of human vision and devices in order to achieve good compression
- What does this mean for surveillance applications? Are the assumptions made by JPEG still true for applications that are analyzing images for other purposes